Just the facts, mam. Just the facts.





1. We started by designing our own programs.

1. We started by designing our own programs.

DOWNSIDE

A lot of work.

1. We started by designing our own program.

DOWNSIDE

- A lot of work.
- We had to learn the hard way. (experience)

1. We started by designing our own program

DOWNSIDE

- A lot of work.
- We had to learn the hard way. (experience)
- No measurement. (how could we convince a third party that our program is adequate)

- 1. We started by designing our own program.
- 2. Scattered incidents around country began focusing interest on apparatus maintenance.

- 1. We started by designing our own program
- 2. Scattered incidents around country began focusing interest on apparatus maintenance.
- 3. 1987, NFPA 1500, Standard on Fire Department Occupational Safety and Health Program published.

- 3. 1987, NFPA 1500, Standard on Fire Department Occupational Safety and Health Program published.
 - a. Became safety standard for fire departments.

- 3. 1987, NFPA 1500, Standard on Fire Department Occupational Safety and Health Program published
 - a. Became safety standard for fire departments.
 - b. Required regular apparatus inspections.

- 3. 1987, NFPA 1500, Standard on Fire Department Occupational Safety and Health Program published
 - a. Became safety standard for fire departments.
 - b. Required regular apparatus inspections.
 - c. Required FD'S to establish maintenance program.

- 3. 1987, NFPA 1500, Standard on Fire Department Occupational Safety and Health Program published
 - a. Became safety standard for fire departments.
 - b. Required regular apparatus inspections.
 - c. Required FD'S to establish maintenance program.
 - d. Required development of "Out-of-Service Criteria".

- 3. 1987, NFPA 1500, Standard on Fire Department Occupational Safety and Health Program published
 - a. Became safety standard for fire departments.
 - b. Required regular apparatus inspections.
 - c. Required FD'S to establish maintenance program.
 - d. Required Development of "Out-of-Service Criteria".
 - e. Require "Qualified Person" for inspection and maintenance.

- 1. We started by designing our own program
- 2. Scattered incidents around country began focusing interest on apparatus maintenance.
- 3. 1987, NFPA 1500, Standard on Fire

 Department Occupational Safety and Health

 Program published, became safety standard

 for fire departments.
- 4. December, 1988, IAFC Apparatus Maintenance Section (now Emergency Vehicle Management Section) began development of EVTCC Program

- 4. December, 1988, IAFC Apparatus Maintenance Section (now Emergency Vehicle Management Section) began development of EVTCC Program.
- 5. May, 1990: Waterbury, Conn. engine crash killed 2, injured 3 other FF's.

- 4. December, 1988, IAFC Apparatus Maintenance Section (now Emergency Vehicle Management Section) began development of EVTCC Program.
- 5. May, 1990: Waterbury, Conn. engine crash killed 2, injured 3 other FF's.
- 6. March 1991, NTSB issued "Special Investigation Report-Emergency Fire Apparatus", Federal DOT followed inquiries and investigations.



History of FD Maintenance Programs

8. IAFC Apparatus Maintenance Section petitioned NFPA for preventive maintenance standard.

- 8. IAFC Apparatus Maintenance Section petitioned NFPA for preventive maintenance standard.
- 9. August, 1994. First NFPA 1915 Standard for Fire Apparatus Preventive Maintenance Program Task Group meeting, at FRI, St. Louis, MO.

- 8. IAFC Apparatus Maintenance Section petitioned NFPA for preventive maintenance standard.
- 9. August, 1994. First NFPA 1915 Standard for Fire Apparatus Preventive Maintenance Program Task Group meeting, at FRI, St. Louis, MO.
- 10. July 1995: NFPA approved development of NFPA 1071, Standard for Emergency Vehicle Technician Professional Qualifications.


History of FD Maintenance Programs

11. October 2003, NFPA Fire Department Apparatus Committee met in Reno, NV to begin the merger of NFPA 1911, Standard for Service Tests of Fire Pump Systems; NFPA 1914, Standard for Testing Fire Department Aerial Devices; and NFPA 1915, Standard for Fire Apparatus Preventive Maintenance Program into the current NFPA 1911, Standard for the Inspection, Maintenance, Testing, and Retirement of In-Service Automotive Fire Apparatus.

History of FD Maintenance Programs

11. October 2003, NFPA Fire Department Apparatus Committee met in Reno, NV to begin the merger of NFPA 1911, Standard for Service Tests of Fire Pump Systems; NFPA 1914, Standard for Testing Fire Department Aerial Devices; and NFPA 1915, Standard for Fire Apparatus Preventive Maintenance Program into the current NFPA 1911, Standard for the Inspection, Maintenance, Testing, and Retirement of In-Service Automotive Fire Apparatus.

12. NFPA 1911 became maintenance bible 12/06.




What if I told you 10 years from now your life would be exactly the same? Doubt you'd be happy. So, why are you afraid of change?

> Karen Salmansohn best selling author of The Bounce Back Book

Need Help?







Contact your Divisional EVMS Representative



Or, go to Emergency Vehicle Management Section at http://www.iafc.org/



My job is to keep something from jumping up and biting you without you knowing it. I'm your friend, not your conscience. I respect you enough to let you decide how to proceed.



decide how to proceed and besides, if I didn't let you know and you got bit, someone would get around to blaming me.